



( )

[ ] ( [ ] [ ] [ ] [ ] ( [ ] [ ]  
[ ] [ ] ) ( )

「 」 3 2

1.

	( )		
	24-100516		40-20
	2024-02-05		2024-02-05

2.

가 .

	-

「 」 3 2

1.

	( )		
	24-100516		40-20
	2024-02-05		2024-02-05

2.

가 .

	-

		( )	
1		100CFU CFU/mL)	0
2		(/100mL)	
3		(/100mL)	
4		0.01 (mg/L)	
5		1.5 (mg/L)	

		( )	
6		0.01 (n g L )	
7		0.01 (n g L )	
8		0.001 (n g L )	
9		0.01 (n g L )	
10		0.05 (n g L )	
11		0.5 (n g L )	
12		10 (n g L )	0.9
13		1 (n g L )	
14		0.005 (n g L )	
15		0.005 (n g L )	
16		0.02 (n g L )	
17		0.06 (n g L )	
18		0.04 (n g L )	
19		0.07 (n g L )	
20		0.1 (n g L )	0.010
21		0.08 (n g L )	0.010
22	1,1,1-	0.1 (n g L )	
23		0.01 (n g L )	
24		0.03 (n g L )	
25		0.03 (n g L )	
26		0.1 (n g L )	
27		0.02 (n g L )	
28		0.01 (n g L )	
29		0.7 (n g L )	
30		0.3 (n g L )	
31		0.5 (n g L )	
32	1,1-	0.03 (n g L )	
33		0.002 (n g L )	
34	1,2- -3-	0.003 (n g L )	
35		0.03 (n g L )	0.0025
36		0.1 (n g L )	
37		0.09 (n g L )	0.0013
38		0.004 (n g L )	
39		0.1 (n g L )	0.014
40		4.0 (n g L )	0.83
41		300 (n g L )	19
42		10 (n g L )	0.7
43		(-)	
44		(-)	
45	(ç u )	1 (n g L )	
46		5 ( )	

